PS-420/440 BP cable

Monitor type: Artema (S&W)







mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

Artema Connector

1. White
2. Yellow
4. Green
3. Brown + Jumper
5. Jumper



Front side **Solder side**

Order no.: 17399

Component list:

mini-DIN Connector: male, 6 pole, black
Monitor Connector: Nicolay 117800.2
Cable: LIYY 6 x 0.14 mm^2, 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - Artema (S&W) BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 25.01.2003	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: HP-4

Hewlett Packard – 78-300, -500, -800, Merlin (12 pin 40 µV)





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

HP-4 Monitor Connector

A. Brown
B. White
C. Green
D. Yellow



Front side **Solder side**

Order no.: 17403

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	ITT Cannon 1251-4953 dark red
Cable sleeve:	120600 Skindicht - SNR 7/5
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - HP-4 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-420/440	DATE: 28.07.2004	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: SM-1

Siemens – Sirecust Series





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

SM-1 Connector

1. Green
3. Brown
4. Jumper
5. Yellow
6. White
8. Jumper



Front side **Solder side**

Order no.: 17406

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	KT-032A
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - SM-1 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 28.07.2004	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: HP-3

Hewlett Packard – 78-300, -500, -800 Merlin (12 pin 5 µV)



mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

HP-3 Connector

A. Brown
B. White
C. Green
D. Yellow
5. Jumper
8. Jumper



Front side **Solder side**

Order no.: 17417

Component list:

mini-DIN Connector: male, 6 pole, black
Monitor Connector: ITT Cannon 1251-4953 dark red
Cable sleeve: 120600 Skindicht - SNR 7/5
Cable: LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - HP-3 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-420/440	DATE: 27.08.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: NK-1

Nihon Kohden – All



mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



NK-1 Connector

2. White
3. Green
4. Brown
5. Yellow



Order no.: 17429

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	Audio, 5 pole, type 454-003 Lev.: JH
Cable boot:	for audio connector
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION PS-420/440 - NK-1 BP cable	
	DRAW CAT. Schematic diagram	
	DRAW NO. .	
PRODUCT BP cable	DATE 28.07.2004	PAGE 1 of 1

PS-420/440 BP cable

Monitor type: PC-1

Medical Data Electronics – Escort Series





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

PC-1 Connector



Front side **Solder side**

Order no.: 17432

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	
Cable:	LIYY 6 x 0.14 mm2, 1.75 m, grey
Resistor:	300 kohm 1%

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - PC-1 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 10.09.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: HP-2

Hewlett Packard – 7809 (5 pin)





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



HP-2 Connector

A. White
B. Brown
C. Yellow
D. Green
E. N.C.



Order no.: 17433

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	M85049/41-6A (KT-005A)
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - HP-2 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 28.07.2004	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: PB-2

Datex – Cardiocap
Puritan Bennett – PB-240





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



PB-2 Connector

1. White
2. Yellow
3. Brown/Jumper
4. Green
5. Jumper
9. Jumper
10. Jumper



Order no.: 17434

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	KT-012B
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - PB-2 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 13.10.2001	PAGE: 1 of 1

PS-420/440 Universal Blood Pressure cable

Unterminated



mini-DIN
Connector



mini-DIN Connector

1. Green
2. Grey
3. White
4. Brown
5. Rose
6. Yellow



Order no.: 17440

Component list:

mini-DIN Connector:	male, 6 pole, black
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 BP cable unterminated	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 23.11.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: HP-1

Hewlett Packard – 78200 (Twinax)





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



HP-1 Connector

A. White
B. Yellow
C. N.C.
D. Brown
E. Green



Order no.: 17456

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	female, 5 pole
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - HP-1 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 28.07.2004	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: HP-8

Hewlett Packard – 8040A, M1350A (12 pin 40 µV) (IUP)







Order no.: 17457

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	ITT Cannon 1251-6887 brown
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Cable sleeve:	120600 Skindicht - SNR 7/5
Resistor:	2k32 1%

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - HP-8 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 28.07.2004	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: LT-1

Advanced Medical Systems – FM 660, FM 670 (IUP)
Airshields – Fetascan 1400 (IUP)





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

LT-1 Connector

1. White
2. Yellow
6. Green
7. Brown



Front side **Solder side**

Order no.: 17459

Component list:

mini-DIN Connector: male, 6 pole, black
Monitor Connector:
Spiral cable: LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - LT-1 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 27.08.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: TK-1

Criticare Systems, Inc. - 1100 / Criticon - 8700 / Invivo Researsch - Omni-Trak / Ivy Biomedical - All / North American Dräger - Vitalert 2000 / Protocol Series - Propaq Series 100 / Spacelabs - 400/5008600PCMS / 90-300, -600, -700, PC-Express





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



TK-1 Connector

A. Yellow
B. Green + Resistors
C. White
D. Brown
F. Resistors



Order no.: 17460

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	KT-002A
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Resistor:	243 kohm 1%
Resistor:	499 kohm 1%

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - TK-1 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 21.01.2002	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: HP-9

Hewlett Packard – 8040A, M1350A (12 pin 5 µV) (IUP)









Order no.: 17461

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	ITT Cannon 1251-6887 brown
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Cable sleeve:	120600 Skindicht - SNR 7/5
Resistor:	7k68 1%

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - HP-9 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 28.07.2004	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: KT-1

Kontron Medical – Micromon, Minimon, Supermon, Kolormon Series





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

KT-1 Connector



Front side **Solder side**

Order no.: 17462

Component list:

mini-DIN Connector: male, 6 pole, black
Monitor Connector: KT-014B
Cable: LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - KT-1 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 10.09.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: GE-2

Marquette Medical (GE) – PDS-3100





Order no.: 17463

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	
Cable:	LIYY 6 x 0.14 mm2, 1.75 m, grey
Resistor:	301 ohm 1%

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - GE-2 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 05.09.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: GE-3

Marquette Medical (GE) – PDS-3000







Order no.: 17464

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	
Spiral cable:	LIYY 6 x 0.14 mm2, 1.75 m, grey
Resistor:	301 ohm 1%

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - GE-3 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 05.09.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: MQ-2

Marquette Medical – 7000/TRAM





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

MQ-2 Connector



Front side **Solder side**

Order no.: 17465

Component list:

mini-DIN Connector: male, 6 pole, black
Monitor Connector:
Cable: LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - MQ-2 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 27.08.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: MQ-3

Marquette Medical – Eagle series (rectangular) TRAM Scope





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



MQ-3 Connector

1. Green
2. White
4. Jumper
8. Jumper
10. Yellow
11. Brown



Order no.: 17466

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	KT-062A
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - MQ-3 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 31.10.2002	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: MM-1

Mennen Medical – All





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

MM-1 Connector

3. White
5. Yellow
2. Green
10. Brown



Front side **Solder side**

Order no.: 17467

Component list:

mini-DIN Connector: male, 6 pole, black
Monitor Connector: KT-080A
Cable: LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - MM-1 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 27.08.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: SM-3

Siemens – Micor/Mingo (15 pin)





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



SM-3 Connector

2. White
3. Yellow
7. Green
13. Brown
1. Resistor
9. Resistor



Order no.: 17468

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	male, 15 pole D-sub
Cable:	LIYY 6 x 0.14 mm2, 1.75 m, grey
Resistor:	200 ohm 1%

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - SM-3 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 05.09.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: SL-1

Spacelabs – ALPHA 9/703R





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

SL-1 Connector

A. Yellow
B. Green
C. White
D. Brown



Front side **Solder side**

Order no.: 17469

Component list:

mini-DIN Connector: male, 6 pole, black
Monitor Connector: KT-005A
Cable: LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - SL-1 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 06.09.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: DS-1

Datascope (A11) - COLIN (BP-308, BP-408)





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

DS-1 Connector

1. Green + Resistor
2. White
3. Yellow
4. Brown + Resistor
5. Shield



Front side **Solder side**

Order no.: 17472

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	ITT Cannon plug, female, 6 pin
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey
Resistor:	331 ohm 1%

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - DS-1 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: J.Luc Leneindre	
PRODUCT: BP cable	DATE: 24.08.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: FD-2





mini-DIN Connector

1. Green
3. Yellow
4. Red
6. Orange



Front side **Solder side**

FD-2 Connector

2. Orange
4. Red
6. Yellow
8. Green
11. Jumper
12. Jumper



Front side **Solder side**

Order no.: 17474

Component list:

mini-DIN Connector: male, 6 pole, black
Monitor Connector: FD-2
Cable:

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - FD-2 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 30.06.2003	PAGE: 1 of 1

PS-420/440 BP cable

Monitor Connector: Hellige

GEMS - Hellige



mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

Hellige Connector

C. Green
D. White
E. Yellow
F. Brown



Front side **Solder side**

Order no.: 17480

Component list:

mini-DIN Connector: male, 6 pole, black
Monitor Connector: From the Manufacturer
Cable: LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: Hellige BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: PS-420/440	DATE: 27.08.2001	PAGE: 1 of 1

PS-420/440 BP cable

Monitor type: Siemens

Siemens SC 6000/ 7000/ 9000 with hemopod



mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

Siemens Connector

1. Green
2. Brown
5. White
6. Yellow



Front side **Solder side**

Order no.: 17496

Component list:

mini-DIN Connector: male, 6 pole, black
Monitor Connector: Siemens
Cable sleeve:
Cable: LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - Siemens BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 17.02.2004	PAGE: 1 of 1

PS-420/440 (UT1) Temperature cable

YSI 400 Series



mini-DIN Connector

2. Brown
7. Blue



Phone Jack



Order no.: 17401

Component list:

mini-DIN Connector: male, 8 pole, black
Phone Jack: mono, 1/4", black
Cable: LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Travbaneveien 1
N-7044 Trondheim, NORWAY
Phone: +47 73 82 85 00
Fax: +47 73 91 70 09
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 Temp. cable YSI 400	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Temp. cable	DATE: 05.09.2001	PAGE: 1 av 1

PS-420/440 Universal temperature cable

Unterminated

mini-DIN
Connector

CABLE CONNECTION MATRIX:
UNIVERSAL TEMPERATURE CABLES

DIN conn Pin no.:	Color	TEMP 1 400 Series	TEMP 1 700 Series	TEMP 2 700 Series
1	Yellow	No conn.	No conn.	No conn.
2	Brown	Tip	No conn.	No conn.
5	White	No conn.	No conn.	Ring
7	Green	Barrel	Barrel	Barrel
8	Grey	No conn.	Tip	No conn.

mini-DIN Connector

1. Yellow (GND)
2. Brown
5. White
7. Green
8. Grey



Front side



Solder side

Phone Jacks



UT1 400 Series



UT2 700 Series

Order no.: 17445

Component list:

mini-DIN Connector: male, 8 pole, black
Cable: LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Travbaneveien 1
N-7044 Trondheim, NORWAY
Phone: +47 73 82 85 00
Fax: +47 73 91 70 09
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 temp. cable unterminated	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Temp. cable	DATE: 27.08.2001	PAGE: 1 av 1

PS-420/440 BP cable

Monitor type: MQ-3

Marquette Medical – Eagle series (rectangular) TRAM Scope





mini-DIN Connector

1. Green
3. White
4. Brown
6. Yellow



Front side **Solder side**

MQ-3 Connector

1. Green
2. White
4. Jumper
8. Jumper
10. Yellow
11. Brown



Front side **Solder side**

Order no.: 17466

Component list:

mini-DIN Connector:	male, 6 pole, black
Monitor Connector:	KT 062A
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Travbaneveien 1
N-7044 Trondheim, NORWAY
Phone: +47 73 82 85 00
Fax: +47 73 91 70 09
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - MQ-3 BP cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: BP cable	DATE: 20.05.2001	PAGE: 1 av 1

PS-420/440 CO cable

Monitor type: Marquette

Marquette Medical – Eagle series (rectangular) TRAM Scope



mini-DIN Connector

Marquette Monitor Connector

Temp/CO



mini-DIN Connector

4. White
6. Brown
1. Jumper
3. Jumper



MQ-3 Connector

1. White
2. Resistors
3. Resistor
6. Shield
7. Jumper
9. Jumper
10. Resistors
11. Resistors



Order no.: 17485

Component list:

mini-DIN Connector:	male, 8 pole, black		
Monitor Connector:	KT-063		
Cable:	LIYY 6 x 0.14 mm², 1.10 m, grey		
Resistor:	9k79	1%	1/8W
Resistor:	11k0	1%	1/8W
Resistor:	16k2	1%	1/8W
Resistor:	24k42	1%	1/8W
Resistor:	51k6	1%	1/8W
Resistor:	604k0	1%	1/8W
Switch:	On/On		

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - Marquette CO cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Cardiac cable	DATE: 26.10.2004	PAGE: 1 of 1

COA-G Cardiac Output Adapter

Simulator: PS-420, PS-440



Box



mini-DIN Connector
male



mini-DIN Connector
female



All Connectors seen from solder side

Order no.: 17290

Component list:

1 ea.	Box				
1 ea.	Resistor	9k3	0.25W	5%	R1
1 ea.	Potm. trim.	1k		10%	R2
1 ea.	Potm. multit.	100k		5%	R3
1 ea.	Connector,		male	2 pin	P1
1 ea.	Connector,		female	2 pin	J1
1 ea.	Connector,		male	4 pin	J2
1 ea.	CO Connector,		male	4 pin	J3
1 ea.	mini-DIN Connector,		female	8 pin	J5
1 ea.	mini-DIN Connector,		male	8 pin	J4
	Cable, 8 leads				

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: COA-G Cardiac Output Adapter	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Cardiac	DATE: 04.03.1999	PAGE: 1 of 1

COA-1 Cardiac Output cable

YSI 400 Series

Simulator: PS-420, PS-440





Order no.: 17452

Component list:

CO-Connector:	female, 4 pole
Jack Connector:	mono, 1/4", black
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: COA-1 Cardiac Output cable YSI 400	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Cardiac cable	DATE: 05.09.2001	PAGE: 1 of 1

COA-2 Cardiac Output cable

YSI 700 Series

Simulator: PS-420, PS-440





Order no.: 17453

Component list:

CO-Connector:	female, 4 pole
Jack Connector:	stereo, 1/4", black
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: COA-2 Cardiac Output cable YSI 700	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Cardiac cable	DATE: 05.09.2001	PAGE: 1 of 1

COA-HP Cardiac Output cable

Monitor type: Hewlett Packard

Simulator: PS-420, PS-440



CO Connector

1. Red
3. Black



Front side **Solder side**

21082 A/B Connector

1. Red
2. Black



Front side **Solder side**

Order no.: 17454

Component list:

CO-Connector:	female, 4 pole
Monitor Connector:	21082A w/cable
Cable cutting:	180 cm

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: COA-HP Cardiac Output cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Cardiac cable	DATE: 06.09.2001	PAGE: 1 of 1

PS-420/440 Cardiac Output cable

Monitor type: Hewlett Packard





mini-DIN Connector

1. Jumper
3. Jumper
4. Brown
6. Black



HP Connector

2. Resistor 6k645
3. Resistor 6k645
4. Brown
5. Resistor 9k787
   + Black
6. Resistor 9k787



Order no.: 17455

Component list:

mini-DIN Connector:	male, 8 pole, black		
Monitor Connector:	ITT Cannon 1251-4116, orange		
Cable:	LIYY 6 x 0.14 mm², 1.75 m, grey		
Cable sleeve:	120600 Skindicht - SNR 7/5		
Resistor:	6k645	0.01%	Type: HR103
Resistor:	9k787	0.1%	Type: HR103

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - Cardiac Output cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Cardiac cable	DATE: 28.07.2004	PAGE: 1 of 1

PS-420/440 CO cable

Monitor type: Marquette

Marquette Medical – Eagle series (rectangular) TRAM Scope



mini-DIN Connector

Marquette Monitor Connector

Temp/CO



mini-DIN Connector

4. White
6. Brown
1. Jumper
3. Jumper



MQ-3 Connector

1. White
2. Resistors
3. Resistor
6. Shield
7. Resistors
8. Resistors
9. Jumper
11. Jumper



Order no.: 17485

Component list:

mini-DIN Connector:	male, 8 pole, black		
Monitor Connector:	KT-063		
Cable:	LIYY 6 x 0.14 mm², 1.10 m, grey		
Resistor:	9k79	1%	1/8W
Resistor:	11k0	1%	1/8W
Resistor:	16k2	1%	1/8W
Resistor:	24k42	1%	1/8W
Resistor:	51k6	1%	1/8W
Resistor:	604k0	1%	1/8W
Switch:	On/On		

Metron AS
Vegamot 8
N-7048 Trondheim, NORWAY
Phone: +47 73 95 47 00
Fax: +47 73 95 47 01
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 - Marquette CO cable	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Cardiac cable	DATE: 04.10.2002	PAGE: 1 of 1

PS-420/440 Temperature cable

YSI 400 Series





mini-DIN Connector (seen from solder side)



Phone Jack

Order no.: 17401

Component list:

mini-DIN Connector:	male, 8 pole, black
Phone Jack:	mono, 1/4", black
Cable:	Unitronic 100, 5 x 0.14 mm², 1.75 m, grey

Metron AS
Travbaneveien 1
N-7044 Trondheim, NORWAY
Phone: +47 73 82 85 00
Fax: +47 73 91 70 09
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 Temp. cable YSI 400	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Temp. cable	DATE: 25.01.1999	PAGE: 1 av 1

PS-420/440 Temperature cable

Monitor type: HP - YSI 400

Hewlett Packard







mini-DIN Connector (seen from solder side)



Monitor Connector (seen from front side)

Order no.: 17444

Component list:

mini-DIN Connector:	male, 8 pole, black
Monitor Connector:	brown, 21082-60010 w/cable
Cable cutting:	180 cm
Heat shrunk joint:	Transparent id: 3/16" l: 40 mm

Metron AS
Travbaneveien 1
N-7044 Trondheim, NORWAY
Phone: +47 73 82 85 00
Fax: +47 73 91 70 09
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 Temp. cable HP-YSI 400	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Temp. cable	DATE: 11.08.1999	PAGE: 1 av 1

PS-420/440 Temperature cable

YSI 700 Series

PS-420/440
mini-DIN Connector

Phone Jack





mini-DIN Connector (seen from solder side)



Phone Jack

Order no.: 17442

Component list:

mini-DIN Connector:	male, 8 pole, black
Phone Jack:	stereo, 1/4", black
Cable:	Unitronic 100, 5 x 0.14 mm², 1.75 m, grey

Metron AS
Travbaneveien 1
N-7044 Trondheim, NORWAY
Phone: +47 73 82 85 00
Fax: +47 73 91 70 09
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 Temp.cable YSI700	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Temp. cable	DATE: 25.01.1999	PAGE: 1 av 1

PS-420/440 Temperature cable

Monitor type: HP - YSI 700

Hewlett Packard







mini-DIN Connector (seen from solder side)



HP Connector (seen from solder side)

Order no.: 17444

Component list:

mini-DIN Connector:	male, 8 pole, black
Monitor Connector:	brown, 21082-60010 w/cable
Cable cutting:	180 cm
Heat shrunk joint:	Transparent id: 3/16" l: 40 mm

Metron AS
Travbaneveien 1
N-7044 Trondheim, NORWAY
Phone: +47 73 82 85 00
Fax: +47 73 91 70 09
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 Temp. cable HP-YSI 700	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Temp. cable	DATE: 04.06.1999	PAGE: 1 av 1

PS-420/440 Universal temperature cable

Unterminated

mini-DIN
Connector



CABLE CONNECTION MATRIX:
UNIVERSAL TEMPERATURE CABLES

DIN conn Pin no.:	Color	TEMP 1 400 Series	TEMP 1 700 Series	TEMP 2 700 Series
1	Yellow	No conn.	No conn.	No conn.
2	Brown	Tip	No conn.	No conn.
5	White	No conn.	No conn.	Ring
7	Blue	Barrel	Barrel	Barrel
8	Black	No conn.	Tip	No conn.



mini-DIN Connector (seen from solder side)



Phone Jack UT1 400 Series



Phone Jack UT2 700 Series

Order no.: 17443

Component list:

mini-DIN Connector: male, 8 pole, black
Cable: Unitronic 100,
5 x 0.14 mm2, 1.75 m, grey

Metron AS
Travbaneveien 1
N-7044 Trondheim, NORWAY
Phone: +47 73 82 85 00
Fax: +47 73 91 70 09
E-mail: support@metron.no

METRON AS Norway	DESCRIPTION: PS-420/440 temp. cable unterminated	
	DRAW CAT.: Schematic diagram	
	DRAW NO.: .	
PRODUCT: Temp. cable	DATE: 25.01.1999	PAGE: 1 av 1